



## TURF FUNGICIDE

**GROUP 2 FUNGICIDE**

**Active Constituent:** 250g/L IPRADIONE  
 331g/L LIQUID HYDROCARBONS

**Poison Schedule:** S5 (CAUTION)

**APVMA Approval No:** 62284




Eligible containers  
 10L  
 5 L

For control of fungal diseases on various crops and situations as specified in the Directions for Use Table

**Pack Size:** 10L  
 5L ( 4 x 5L per carton)

**Dangerous Goods Class:**  
 Not classified as a dangerous good under the Australian Code for Transport and Storage of Dangerous Goods in Australia.

DIRECTIONS FOR USE			
PRECAUTIONS: DO NOT GRAZE TREATED AREAS OR FEED TURF TO ANIMALS INCLUDING POULTRY.			
Situation	Disease	Rate	Critical Comments
Ornamentals	Botrytis Blight ( <i>Botrytis cinerea</i> )	200mL/ 100L water	Spray at 14 day intervals commencing when the disease first becomes apparent and continuing until conditions no longer favour the disease. Spraying Saintpaulia, Poinsettia and Cyclamen flowers may result in some petal scorch. Tepid water should be used and wet plants protected from direct sunlight. This use is subject to an AFRAC anti-resistance strategy. Do not apply more than 3 consecutive 250 GT or related dicarboximide fungicides.



Situation	Disease	Rate	Critical Comments
Recreational Turf	Brown Patch ( <i>Rhizoctonia solani</i> )	120 to 180mL/10 to 150L water/ 100m <sup>2</sup>	Curative Program: Repeat treatment after 14 days. Use the higher rate under conditions of severe disease pressure. For preventative treatment: Apply as a monthly spray program. This use is subject to an AFRAC anti-resistance strategy. Do not apply more than 2 consecutive sprays of 250 GT or related dicarboximide fungicides unless tank mixed with a fungicide from a different activity group.
	Dollar Spot ( <i>Sclerotinia homoeocarpa</i> )	120mL/10 to 150L of water/ 100m <sup>2</sup>	For Curative Treatment: Repeat treatment in 14 days. For Preventative Treatment: Apply monthly. This use is subject to an AFRAC antiresistance strategy. Do not apply more than two consecutive sprays of 250 GT or related dicarboximide fungicides, unless tank mixed with a fungicide from a different activity group.
	Fusarium Patch ( <i>Fusarium nivale</i> ) (NOT Qld)	180mL/ 10 to 150L of water/ 100m <sup>2</sup>	
	Spring Dead Spot ( <i>Leptosphaeria</i> spp.)	90mL/ 10 to 150L of water/ 100m <sup>2</sup>	For Preventative Treatment only: Apply as a monthly soil drench throughout the year. Water in thoroughly after application. This use is subject to an AFRAC anti-resistance strategy. Do not apply more than 2 consecutive sprays of 250 GT or related dicarboximide fungicides, unless tank mixed with a fungicide from a different activity group.
	Helminthosporium disease affecting leaf, crown and roots: (Black and white Helminthosporium spot) <i>Bipolaris</i> spp <i>Drechslera</i> spp. <i>Exserohilum</i> spp.		For Curative Treatment: Apply as a foliar spray and repeat application after 7 to 14 days. For white spot symptoms on couch grass ( <i>Cynodon dactylon</i> ) only, use higher water volumes of 100 to 150L of water per 100m <sup>2</sup> . For Preventative Treatment: Apply as a high volume foliar spray. Repeat applications at monthly intervals from February to May. This use is subject to an AFRAC anti-resistance strategy. Do not apply more than two consecutive sprays of 250 GT or related dicarboximide fungicides, unless tank mixed with fungicide from a different activity group.
<b>NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.</b>			


## GENERAL INSTRUCTIONS

<b>GROUP</b>	<b>2</b>	<b>FUNGICIDE</b>
--------------	----------	------------------

### Fungicide Resistance Strategy

For fungicide resistance management 250 GT Fungicide is a Group 2 fungicide.

Some naturally occurring individual fungi resistant to 250 GT Fungicide and other Group 2 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by 250 GT fungicide and other Group 2 fungicides, thus resulting in a reduction in efficacy. Since the occurrence of resistant fungi is difficult to detect prior to use, Colin Campbell (Chemicals) Pty. Ltd. accepts no liability for any losses that may result from the failure of 250 GT Fungicide to control resistant fungi.



**Mixing.** Note: 250 GT may be very unstable in conditions where the pH is 7 or higher. It is therefore essential to check the pH of the spray solution before adding 250 GT. A suitable registered buffering agent may have to be added to bring pH down below 7.

**Application.** Good control requires good coverage. Application should be made using sufficient water to ensure thorough coverage.

**Turf Nutrition.** This product acts very rapidly and where the turf is of a low nutritional status, a slight yellowing may be seen. This will be corrected by nitrogenous fertiliser application. Where possible, it is recommended that the fertiliser program should precede the fungicide application.

**Compatibility.** With any mixture, thoroughly agitate immediately before applying. The use of a surfactant or spray oil is not recommended with 250 GT as it may result in damage to sensitive plants. DO NOT mix with fertilisers. Mixtures with some fertilisers, e.g. urea, may cause foliar damage. Mixing 250 GT with Alliette Signature may result in some settling out. As formulation of other manufacturers' products are beyond the control of Colin Campbell (Chemicals) Pty. Ltd., all mixtures should be tested prior to mixing commercial quantities.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS – DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT – DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL – Store in a closed, original container in a cool, secure, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Protect from frost. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt. (110 L containers only) Empty container by pumping through the dry-break connection system. Do not attempt to unscrew the valve or breach the locked filling point. Do not contaminate the container with water or other foreign material. Ensure that the coupler, pump, meter and hoses are disconnected, triple rinsed with clean water and drained after each use. Contact point of purchase to arrange return or collection of empty containers.

SAFETY DIRECTIONS – Avoid contact with eyes and skin. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.

FIRST AID – If poisoning occurs contact a doctor or Poisons Information Centre. Phone 13 11 26.

MATERIAL SAFETY DATA SHEET – For further information, refer to the Material Safety Data Sheet. A copy can be obtained from the website: [www.campbellchemicals.com.au](http://www.campbellchemicals.com.au)

#### CONDITIONS OF SALE

Agricultural, horticultural and pastoral preparations in their application involve varying factors such as differing conditions, soil, climate and methods of application over which the vendor does not have control, Whilst Colin Campbell (Chemicals) Pty. Ltd believes that all goods sold by it are true to label and are effective and safe for purpose indicated the company and the seller hereby expressly negate and exclude any express or implied condition, statement or warranty, statutory or otherwise, as to quality or fitness of any goods sold for any purpose or purposes whatsoever except such warranties and conditions, if any, as are implied by the Trade Practices Act 1974 (Commonwealth). The company and the seller accept no responsibility for any loss, harm or damage whatsoever suffered from the use of such goods for any purpose or purposes irrespective of whether or not the buyer was acting in reliance upon the advice recommendation or representation of the seller or any representative agent of employee of the company as to such use except in respect of breaches of conditions and warranties, if any, implied by the Trade practices Act and in respect of such breaches the liability of the company and the seller shall be limited to the replacement of the goods or the supply of equivalent goods, or the payment of the cost of replacing the goods.

APVMA Approval No: 62284