

POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING



syngenta®

ACTIVE CONSTITUENT: 250 g/L PROPICONAZOLE
SOLVENT: 630 g/L LIQUID HYDROCARBONS

GROUP C FUNGICIDE

***For control of Spring Dead Spot in Couch, and
Dollar Spot in Bent Grass and Queensland Blue
Couch***

Syngenta Crop Protection Pty Limited
Level 1, 2-4 Lyonpark Road, Macquarie Park NSW 2113

In a transport emergency dial 000, Police or Fire Brigade.
For specialist advice in an emergency only, call 1800 033 111 (24 hours)

APVMA Approval No: 63152/0309

TM

DIRECTIONS FOR USE

Restrictions

DO NOT apply to turf under heat or moisture stress

DO NOT apply more than 1 application per year on couch varieties C29, Greenlees Park, National Park, Tifway, Sportsway and Wagga City

Situation	Disease	State	Rate	Critical Comments
Couch Turf in bowling greens, parks and sporting areas	Spring Dead Spot (<i>Leptosphaeria</i> spp)	Qld, NSW, Vic, SA, WA only	60 mL/100 m ² in 150 L water	Apply as a soil drench and water in immediately. Spray in January to March, after renovation and recovery of active growth. Make a second application 1 month later. DO NOT renovate treated greens until active growth has recommenced in spring. DO NOT spray in the spring/summer period prior to renovation. BANNER FAIRWAY may cause bleaching of the grass after application in late summer/autumn and also produce a greening effect in the following spring. Couch may be slow to recommence active growth in the spring, particularly in cooler regions. These effects should be allowed to grow out before treating again. DO NOT apply more than twice per year. Refer to Soil Application under Application section for detailed information.
Bent Grass in bowling greens, parks and sporting areas	Dollar Spot (<i>Sclerotinia homeocarpa</i>)	Vic only	30 to 60 mL/100 m ² in 10 to 20 L water	Spray when conditions are warm and humid, from September to March. Make a second application 14 to 28 days later if conditions continue to favour disease development. Use rates towards the lower end of the range as a preventative program and against light to moderate infection. Use rates towards the higher end of the range and shorter intervals as a preventative or curative treatment when conditions are highly favourable for the disease. Treatment may cause Bent Grass to be darker green in colour and tighter in texture but still provides a suitable surface for greens. Refer to Foliar Application under Application section for detailed information.
Bent Grass, Queensland Blue Couch in bowling greens, golf greens, parks and sporting areas		Qld, NSW, SA, WA only		

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIOD

DO NOT GRAZE TREATED TURF OR FEED GRASS CLIPPINGS FROM TREATED AREAS TO POULTRY OR LIVESTOCK

GENERAL INSTRUCTIONS

Mixing

Add the required amount of product directly to the spray tank and mix well.

Compatibility

BANNER FAIRWAY is compatible with chlorothalonil.

Application

Ensure even application in order to achieve even disease control. Avoid overlapping sprays.

Soil Applications: Ensure product placement as close to soil surface as possible. Total application volume should not be lower than 500 L/ha. *Example:* For best results use extremely coarse droplets [Turbo Floodjet* (TF5) or TurfJet* (TTJ10)] and total application volume of approximately 1,000 L/ha. Preferably spray onto wet or dewy grass. Irrigate with 6 to 10 mm of water commencing within 1 hour of application.

Foliar Applications: Ensure product placement as uniformly as possible onto leaves and into crowns. Ideal application volume should be 350 to 500 L/ha. *Example:* For best results use medium [XR Teejet (11004 or 10005)] to coarse [Turbo Teejet or AIXR Teejet (11004 or 11005)] nozzles, at 5 km/h and 3 bar pressure.

Fungicide Resistance Warning

GROUP C FUNGICIDE

BANNER FAIRWAY Turf Fungicide is a member of the DMI group of fungicides. For fungicide resistance management BANNER FAIRWAY is a Group C fungicide. Some naturally occurring individual fungi resistant to BANNER FAIRWAY and other Group C fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungi population if these fungicides are used repeatedly. These resistant fungi will not be controlled by BANNER FAIRWAY and other Group C fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Syngenta Crop Protection Pty Ltd accepts no liability for any losses that may result from the failure of BANNER FAIRWAY to control resistant fungi.

PRECAUTIONS

Re-entry periods

Mowing: DO NOT allow entry into treated areas until the spray has dried. When prior entry is necessary, wear chemical resistant gloves and footwear.

Transplanting and hand weeding: DO NOT allow entry into treated areas for 10 days after application. When prior entry is necessary, wear chemical resistant gloves and footwear.

PROTECTION OF LIVESTOCK

DO NOT graze treated turf or feed grass clippings from treated areas to poultry or livestock.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

Harmful if swallowed. Will damage the eyes. Will irritate the nose, throat and skin. Avoid contact with eyes and skin. DO NOT inhale vapour. When opening the container and preparing spray wear:

- cotton overalls buttoned to the neck and wrist
- a washable hat
- elbow length PVC, nitrile or neoprene gloves
- goggles
- disposable fume mask covering mouth and nose

When using the prepared spray wear:

- cotton overalls buttoned to the neck and wrist
- a washable hat
- elbow length PVC, nitrile or neoprene gloves
- goggles

If product in eyes, wash it out immediately with water. If product on skin, immediately wash area with soap and water. Wash hands after use. After each day's use wash gloves, goggles and contaminated clothing.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone 131 126. If swallowed, DO NOT induce vomiting. Give a glass of water.

MATERIAL SAFETY DATA SHEET

If additional hazard information is required, refer to the Material Safety Data Sheet. For a copy phone 1800 067 108 or visit our website at www.syngenta.com.au

MANUFACTURER'S WARRANTY AND EXCLUSION OF LIABILITY

Syngenta has no control over storage, handling and manner of use of this product. Where this material is not stored, handled or used correctly and in accordance with directions, no express or implied representations or warranties concerning this product (other than non-excludable statutory warranties) will apply. Syngenta accepts no liability for any loss or damage arising from incorrect storage, handling or use.

Product names marked ® or ™, the ALLIANCE FRAME
the SYNGENTA Logo and the PURPOSE ICON
are Trademarks of a Syngenta Group Company



* Trademark