Carbon Trader leaflet 16-05-2018 Page 1 of 4

READ SAFETY DIRECTIONS BEFORE OPENING OR USING KEEP OUT OF REACH OF CHILDREN



Carbon Trader®

Typical Analysis: 75% Carbon

2.2% Nitrogen

3.4% Phosphorus

8.6% Potassium

To keep Dormant Turf Green in Colour throughout the Dormancy period and to Enhance and Maintain Turf Colour, Turf Health and Appearance of Turf, including greens and surrounds.

IMPORTANT: READ THIS LEAFLET BEFORE OPENING OR USING THIS PRODUCT



Turf Culture Pty Ltd ACN: 117 986 615 43 Gap Road Sunbury Vic 3429 Ph: 1300 11 TURF (Ph: 1300 11 8873) www.turfculture.com.au Carbon Trader leaflet 16-05-2018 Page 2 of 4

DIRECTIONS FOR USE

Restraints:

DO NOT tank mix with any chemicals or surfactants.

DO NOT apply through an injection/fertigation unit.

Situation	Purpose	Rate	Critical Comments
Established Turf, Newly seeded Turf and Newly laid instant sod Turf as listed:	To keep Dormant Turf Green in	35 – 65 kg per ha	Apply before colour loss occurs due to dormancy.
For Golf & Bowling Greens, General Turf areas & Lawns, containing turf-grasses as named:	Colour throughout the Dormancy period.	(350 – 650 grams per 100 m ²)	Repeat applications are required as needed, once the colour of the turf starts to fade. This is usually 8 - 10 weeks after the initial application.
Buffalo (Stenotaphrum secundatum),			
Common couch (Cynodon dactylon),	To enhance and		Apply in 800 – 1600 L of water per ha (8 – 16 L of water per 100 m ²).
Hybrid couch (Cynodon dactylon x Cynodon transvaalensis),	maintain Turf colour, Turf health and appearance of Turf.		Even spray coverage is essential for optimal performance (i.e. boom spray or fish mouth nozzle).
Kikuyu (Pennisetum clandestinum),			See SPRAY PREPARATION &
Paspalum (Paspalum vaginatum),			MIXING instructions below for further important details.
Qld Blue Couch (Digitaria didactyla),			Newly seeded cool season turf should have a minimum of 6 cuts
Ryegrass (Lolium spp.),			(mowing's) before a Carbon Trader application.
Zoysia (Zoysia japonica)			DO NOT use on cool season turf
Bent grass (Agrostis tenius),	To Enhance the Turf colour, Turf	20 – 30 # kg per ha	varieties when temperature is above 28°C.
Fine Fescue (Festuca spp.),	health and appearance of Turf on greens	(200 – 300 # grams per	# Use only the low rate during warm, summer-like conditions. Irrigate with 6mm of irrigation within 24 hours.
Winter Grass (Poa annua)	and surrounds	100 m ²)	onini oi iingation within 24 hours.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

DO NOT FEED GRASS CLIPPINGS FROM TREATED AREAS TO POULTRY OR OTHER LIVESTOCK

Carbon Trader leaflet 16-05-2018 Page 3 of 4

GENERAL INSTRUCTIONS

Carbon Trader contains 750 g/kg activated charcoal in the form of a water-dispersible granule (WDG).

Application

Apply with a calibrated garden backpack, power sprayer or boom sprayer.

Good spray tank agitation is required at all times.

Apply in a minimum of 800 L water per hectare.

Carbon Trader may deactivate any systemic post-emergent herbicides sprayed in the 3 days prior to a Carbon Trader application.

Carbon Trader may deactivate any pre-emergent herbicides working in the soil.

Even spray coverage is essential for optimal performance (i.e. boom spray or fish mouth nozzle).

Continuous agitation is required at all times.

Spray Preparation

The use of 50-MESH or coarser screens placed after the tank and before the nozzles (in-line filter) are required for this product. MESH screen (filter) sizes of 100 – 200 may cause blockages.

Nozzle filters need to be removed prior to spraying to avoid blockages.

Good spray tank agitation is required at all times.

Apply in 800 – 1600 L of water per ha (8 - 16 L of water per 100 m2).

Mixing

Carbon Trader is a water-dispersible granule which disperses in water.

- 1. Half fill the spray tank with the required water for the application.
- 2. Engage agitation system.
- 3. Fill a mixing bucket with approx. 10 15 L of water and add 5 kg of Carbon Trader, mix well using a paddle of some sort. Once the 5 kg in 10 15 L of water is thoroughly mixed pour through the basket filter into the tank. Any residue left behind on the basket filter can be easily washed through into the tank with water.
- 4. Repeat Step 3 (above) until you have reached the amount of Carbon Trader required in the tank for your application.
- 5. Maintain good spray tank agitation at all times from mixing to spraying (including throughout the spraying process).

COMPATIBILITY

Carbon Trader is NOT compatible with any other products, such as:

- Fertilisers (organic, synthetic, crystalline or liquids) including chelates and kelps
- Surfactants (non-ionic or ionic, penetrates etc.)
- Chemicals / Pesticides (Herbicides, Fungicides, Insecticides or Plant Growth Regulators)

Mixtures of this type will result in either poor efficacy of Carbon Trader and/or poor efficacy of the tank-mixed partner.

DO NOT mix with anything except water for spraying.

PRECAUTION

Re-Entry Period

Do not enter treated areas until the spray has dried, unless wearing cotton overalls buttoned to the neck and wrists (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

SPRAYER CLEAN UP

This can be achieved by rinsing thoroughly with clean water until no black colouring is evident. Ensure that all filters are dismantled and cleaned thoroughly.

Carbon Trader leaflet 16-05-2018 Page 4 of 4

EQUIPMENT

One of the Carbon Trader active constituents, carbon (activated charcoal), is an abrasive material and may cause more rapid wear of spray equipment.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

DO NOT apply under weather conditions, or from spraying equipment, that may cause spray drift onto nearby plants/crops, cropping lands or pastures.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the product or the used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Dispose of containers via any local authority landfill or recycler.

SAFETY DIRECTIONS

Avoid contact with eyes and skin. When opening container, preparing spray or using prepared spray, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length PVC gloves and face shield or goggles. If product on skin, immediately wash area with soap and water. If product or spray in eyes wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26. If swallowed, do not induce vomiting. Give a glass of water.

SAFETY DATA SHEET

For further information refer to the Safety Data Sheet (SDS), which is available from the supplier or from the distributor's website: www.turfculture.com.au

CONDITIONS OF SALE

The use of Carbon Trader being beyond the control of the manufacturer, no warranty expressed or implied is given by Turf Culture Pty Ltd regarding its suitability, fitness or efficiency for any purpose for which it us used by the buyer, whether in accordance with the directions or not and Turf Culture Pty Ltd accepts with no responsibility for any consequences whatsoever resulting from the use of this product.

® Registered trademark

In a Transport Emergency Dial 000 Police or Fire Brigade

Poisons Information Centre Telephone: 13 11 26 from anywhere in Australia