


syngenta.

HEADWAY MAXX Turf Fungicide combines two actives – one providing strength and longevity and the other speed and early curative action. Once absorbed by the leaf, it moves up through the plant and is redistributed to protect new leaf growth. In addition, it's also absorbed through the roots making it effective against root diseases like Pythium, Take-all Patch and Couchgrass Decline.

What HEADWAY MAXX offers you:

- Control and prevention of a broad spectrum of turf diseases including Dollar Spot, Pythium, Anthracnose, Brown Patch and the ERI complex (Couchgrass Decline and Take-all Patch)
- The option to tank mix with DACONIL WEATHER STIK or MEDALLION Turf Fungicide to get the combination of systemic and contact action for high risk periods
- MAXX technology that ensures excellent tank mix compatibility with other fungicides, foliar fertilisers and PRIMO MAXX
- A low odour, non-staining formulation





To achieve great results, accurate application is important.

Target	Syngenta Nozzle	Optimal Water Rate	Optimal Pressure Range
Leaf and crown	XC 04 or XC 025	300 to 500 L/ha	2 to 4 bar
Root and soil So	XC 08	~1000 L/ha	2 to 4 bar

HEADWAY MAXX combines the strength, longevity and broad spectrum of HERITAGE MAXX with the speed and early curative action of BANNER MAXX in an unbeatable combination. HEADWAY MAXX is equally effective when used as part of an early curative solution or as a longer term preventative plan.

Example: High disease pressure, conducive weather conditions combined with high golf traffic and holidays are the reality for greens over the Christmas period. Plan a season long preventative program and incorporate two consecutive applications of HEADWAY MAXX @ 9 L/ha - the first around mid-November and the second 28 days later around mid-December. In this way greens are fully protected during this high risk period.

Target Diseases	Rate	SpraySure
Anthracnose, Brown Patch, Dollar Spot, Grey Leaf Spot, Helminthosporium Disease, Pythium Leaf Blight, Red Thread, Winter Fusarium	9 L/ha	F
Couchgrass Decline, Pythium Root Rot, Seedling Damping Off, Spring Dead Spot, Take-all Patch	9 L/ha	So

Refer to the registered label for full details and instructions for use. | F | = Foliar applied | So | = Soil applied |







Active Ingredient

HEADWAY MAXX contains 62 g/L azoxystrobin, a member of the strobilurin fungicides and 104 g/L propiconazole, a member of the demethylation inhibitor fungicides

GROUP 3 11

Formulation and Packaging

5 L pack size

A micro emulsion concentrate (ME) with minimal odour as the product does not contain petroleum solvents.

HEADWAY MAXX mixes completely with water and may be tank mixed with many commonly used fungicides and liquid fertilisers.

HEADWAY MAXX can be tank mixed with DACONIL WEATHER STIK, PRIMO MAXX and SUBDUE MAXX.



www.greencast.com.au

