

**PRIMO 250EC**

Version 1.1      Revision Date: 11.10.2021      SDS Number: S00007199929      This version replaces all previous versions.

---

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : PRIMO 250EC

Design code : A7725M

**Manufacturer or supplier's details**

Company : Syngenta Australia Pty Ltd (ABN 33 002 933 717)  
www.syngenta.com.au

Address : 2-4 Lyonpark Road  
Macquarie Park NSW 2113  
Australia

Telephone : (02) 8014 5200

Emergency telephone number : 13 11 26 (Poison Information Centre)  
1800 033 111 (Syngenta)

Telefax : (02) 8876 8446

**Recommended use of the chemical and restrictions on use**

Recommended use : Plant growth regulator


---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids : Category 4

Skin sensitisation : Category 1

**GHS label elements**

Hazard pictograms : 

Signal word : Warning

Hazard statements : H227 Combustible liquid.  
H317 May cause an allergic skin reaction.

Supplemental Hazard Statements : AUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames

---

## PRIMO 250EC

Version 1.1      Revision Date: 11.10.2021      SDS Number: S00007199929      This version replaces all previous versions.

and other ignition sources. No smoking.  
 P261 Avoid breathing mist or vapours.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.  
 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

### Storage:

P403 Store in a well-ventilated place.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
trinexapac-ethyl	95266-40-3	>= 25 -< 30
poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-	9043-30-5	>= 20 -< 25
castor oil, ethoxylated	61791-12-6	>= 5 -< 10

## SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.  
 If breathing is irregular or stopped, administer artificial respiration.  
 Keep patient warm and at rest.  
 Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
 Wash off immediately with plenty of water.  
 If skin irritation persists, call a physician.  
 Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

## PRIMO 250EC

Version 1.1      Revision Date: 11.10.2021      SDS Number: S00007199929      This version replaces all previous versions.

for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed : Nonspecific  
No symptoms known or expected.

Notes to physician : There is no specific antidote available.  
Treat symptomatically.

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam  
or  
Water spray

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.

Specific extinguishing methods : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Hazchem Code : •3Z

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

## PRIMO 250EC

Version 1.1      Revision Date: 11.10.2021      SDS Number: S00007199929      This version replaces all previous versions.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from food, drink and animal feedingstuffs.
- Further information on storage stability : Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

- Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

#### Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

#### Hand protection

- Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : 0.5 mm

- Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality

## PRIMO 250EC

Version 1.1	Revision Date: 11.10.2021	SDS Number: S00007199929	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.  
Wear as appropriate:  
Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

Personal protective equipment should comply with relevant national standards

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : brown orange

Odour : unpleasant

Odour Threshold : No data available

pH : 2 - 6  
Concentration: 1 % w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : 80 °C  
Method: Pensky-Martens closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

**PRIMO 250EC**

Version 1.1      Revision Date: 11.10.2021      SDS Number: S00007199929      This version replaces all previous versions.

---

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 0.96 - 1.00 g/cm<sup>3</sup> (20 °C)

Solubility(ies)  
Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : 250 °C

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : 10.01 mPa.s ( 20 °C)  
5.45 mPa.s ( 40 °C)

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Surface tension : 28.2 - 28.5 mN/m, 20 °C

Particle size : No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes : Ingestion  
Inhalation  
Skin contact  
Eye contact

---

**PRIMO 250EC**Version  
1.1Revision Date:  
11.10.2021SDS Number:  
S00007199929

This version replaces all previous versions.

**Acute toxicity****Product:**

- Acute oral toxicity : LD50 (Mouse, male and female): > 5,000 mg/kg
- Acute inhalation toxicity : LC50 (Rat): > 2.51 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Components:****trinexapac-ethyl:**

- Acute oral toxicity : LD50 (Rat, male and female): 4,460 mg/kg
- Acute inhalation toxicity : LC50 (Rat, male and female): > 5.69 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:**

- Acute oral toxicity : LD50 (Rat): 1,940 mg/kg

**Skin corrosion/irritation****Product:**

- Species : Rabbit  
Result : No skin irritation
- Species : Rabbit  
Result : Repeated exposure may cause skin dryness or cracking.

**Components:****trinexapac-ethyl:**

- Species : Rabbit  
Result : No skin irritation

**PRIMO 250EC**

Version 1.1      Revision Date: 11.10.2021      SDS Number: S00007199929      This version replaces all previous versions.

---

**Serious eye damage/eye irritation****Product:**

Species : Rabbit  
Result : No eye irritation

**Components:****trinexapac-ethyl:**

Species : Rabbit  
Result : No eye irritation

**poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:**

Species : Rabbit  
Result : Irreversible effects on the eye

**Respiratory or skin sensitisation****Product:**

Species : Guinea pig  
Result : May cause sensitisation by skin contact.

**Components:****trinexapac-ethyl:**

Test Type : mouse lymphoma cells  
Species : Mouse  
Result : Did not cause sensitisation on laboratory animals.

**Chronic toxicity****Germ cell mutagenicity****Components:****trinexapac-ethyl:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:**

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

**Carcinogenicity****Components:****trinexapac-ethyl:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.



**PRIMO 250EC**

Version 1.1      Revision Date: 11.10.2021      SDS Number: S00007199929      This version replaces all previous versions.

---

**Reproductive toxicity****Components:****trinexapac-ethyl:**

Reproductive toxicity - Assessment : No toxicity to reproduction

**Repeated dose toxicity****Components:****trinexapac-ethyl:**

Remarks : No adverse effect has been observed in chronic toxicity tests.

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna Straus): 2.9 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Anabaena flos-aquae (cyanobacterium)): 8.3 mg/l  
Exposure time: 96 h

ErC50 (Lemna gibba (gibbous duckweed)): 55 mg/l  
Exposure time: 7 d

**Components:****trinexapac-ethyl:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 68 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Americamysis): 6.5 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 24.5 mg/l  
Exposure time: 96 h

ErC50 (Myriophyllum spicatum (Eurasian watermilfoil)): 1.2 mg/l  
Exposure time: 14 d

EC10 (Myriophyllum spicatum (Eurasian watermilfoil)): 0.011 mg/l  
Exposure time: 14 d

---

## PRIMO 250EC

Version 1.1      Revision Date: 11.10.2021      SDS Number: S00007199929      This version replaces all previous versions.

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.41 mg/l  
Exposure time: 35 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 2.4 mg/l  
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

### Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### poly(oxy-1,2-ethanediyl), alpha-isotridecyl-omega-hydroxy-:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 5 - 10 mg/l  
Exposure time: 48 h

### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### castor oil, ethoxylated:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 14.15 mg/l  
Exposure time: 96 h

### Persistence and degradability

#### Components:

#### trinexapac-ethyl:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 3.9 - 5.5 d  
Remarks: Product is not persistent.

#### castor oil, ethoxylated:

Biodegradability : Result: Readily biodegradable.

## PRIMO 250EC

Version 1.1      Revision Date: 11.10.2021      SDS Number: S00007199929      This version replaces all previous versions.

### Bioaccumulative potential

#### Components:

##### trinexapac-ethyl:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -2.1 (25 °C)  
 log Pow: -0.29 (25 °C)  
 log Pow: 1.5 (25 °C)

### Mobility in soil

#### Components:

##### trinexapac-ethyl:

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: < 0.2 d  
 Percentage dissipation: 50 % (DT50)  
 Remarks: Product is not persistent.

### Other adverse effects

#### Components:

##### trinexapac-ethyl:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
 Do not dispose of waste into sewer.  
 Where possible recycling is preferred to disposal or incineration.  
 If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Non-returnable containers:  
 Triple rinse containers.  
 Add rinsings to spray tank  
 If recycling, replace cap and return clean containers to recycler or designated collection point. Containers marked with the drumMUSTER container logo can be taken to a drumMUSTER collection site (02 6206 6868, [www.drummuster.org.au](http://www.drummuster.org.au)). Empty containers can be landfilled, when in accordance with the local regulations.

## PRIMO 250EC

Version 1.1	Revision Date: 11.10.2021	SDS Number: S00007199929	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

Returnable containers:

Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRINEXAPAC-ETHYL)
Class	:	9
Packing group	:	III
Labels	:	9

##### IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (TRINEXAPAC-ETHYL)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes

##### IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRINEXAPAC-ETHYL)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### ADG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRINEXAPAC-ETHYL)

## PRIMO 250EC

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.1	11.10.2021	S00007199929	

Class	:	9
Packing group	:	III
Labels	:	9
Hazchem Code	:	•3Z
Remarks	:	Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the Australian Code for the Transport of Dangerous Goods (ADG). This applies when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs per ADG Special Provision AU01.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and Poisons	:	Schedule 5
Prohibition/Licensing Requirements	:	There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.
Product Registration Number	:	APVMA Approval No. 46008

## SECTION 16. OTHER INFORMATION

Revision Date	:	11.10.2021
Date format	:	dd.mm.yyyy

### Full text of other abbreviations

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-

**PRIMO 250EC**

Version 1.1	Revision Date: 11.10.2021	SDS Number: S00007199929	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

---

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN